

スリップ痕からみた推定時速一覧表

スリップ痕の長さ		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
乾燥	推定速度km	14	20	25	29	32	35	38	41	43	46	48	50	52	54	56	58	59	61	63	64	66	68	69	71	72	73	75	76	78	79
	空走距離m (最低車間距離)	2.7	3.9	4.9	5.6	6.2	6.8	7.4	8.0	8.4	9.0	9.3	9.7	10.1	10.5	10.9	11.2	11.5	11.9	12.2	12.4	12.8	13.2	13.4	13.8	14.0	14.2	14.6	14.8	15.2	15.4
コンクリート	停止できる距離 m	3.7	5.9	7.9	9.6	11.2	12.8	14.4	16.0	17.4	19.0	20.3	21.7	23.1	24.5	25.9	27.2	28.5	29.9	31.2	32.4	33.8	35.2	36.4	37.8	39.0	40.2	41.6	42.8	44.2	45.4
湿潤	推定速度km	14	19	23	27	30	33	36	38	40	43	45	47	49	50	52	54	56	57	59	60	62	63	65	66	67	69	70	71	73	74
	空走距離m (最低車間距離)	2.7	3.6	4.5	5.3	5.8	6.4	7.0	7.4	7.8	8.4	8.8	9.1	9.5	9.7	10.1	10.5	10.9	11.1	11.5	11.7	12.1	12.3	12.7	12.8	13.0	13.4	13.6	13.8	14.2	14.4
	停止できる距離 m	3.7	5.6	7.5	9.3	10.8	12.4	14.0	15.4	16.8	18.4	19.8	21.1	22.5	23.7	25.1	26.5	27.9	29.1	30.5	31.7	33.1	34.3	35.7	36.8	38.0	39.4	40.6	41.8	43.2	44.4
湿潤	推定速度km	13	18	22	25	28	31	33	35	37	39	41	43	45	47	48	50	51	53	54	56	57	58	60	61	62	64	65	66	67	68
	空走距離m (最低車間距離)	2.5	3.5	4.3	4.9	5.4	6.0	6.4	6.8	7.2	7.6	8.0	8.4	8.8	9.1	9.3	9.7	9.9	10.3	10.5	10.9	11.1	11.2	11.7	11.9	12.1	12.4	12.7	12.8	13.0	13.2
	停止できる距離 m	3.5	5.5	7.3	8.9	10.4	12.0	13.4	14.8	16.2	16.6	19.0	20.4	21.8	23.1	24.3	25.7	26.9	28.3	29.5	30.9	32.1	33.2	34.7	35.9	37.1	38.4	39.7	40.8	42.0	43.2
氷結	推定速度km	5	7	9	10	11	12	13	14	15	16	17	18	18	19	20	20	21	22	22	23	23	24	24	25	25	26	26	27	27	28
	空走距離m (最低車間距離)	0.9	1.4	1.8	1.9	2.1	2.3	2.5	2.7	2.9	3.1	3.3	3.5	3.5	3.6	3.9	3.9	4.1	4.3	4.3	4.5	4.5	4.7	4.7	4.9	4.9	5.1	5.1	5.3	5.3	5.4
	停止できる距離 m	1.9	3.4	4.8	5.9	7.1	8.3	9.5	10.7	11.9	13.1	14.3	15.5	16.5	17.6	18.9	19.9	21.1	22.3	23.3	24.5	25.5	26.7	27.7	28.9	29.9	31.1	32.1	33.3	34.3	35.4